

FIG. 1A




FIG. 1B




FIG. 1C




FIG. 2




FIG. 3

2/25




FIG. 4A




FIG. 4B




FIG. 5

3/25




FIG. 6A




FIG. 6B




FIG. 6C




FIG. 7

4/25




FIG. 8A




FIG. 8B




FIG. 9




FIG. 10

5/25




FIG. 11




FIG. 12

FIG. 13A

FIG. 13B

6/25




FIG. 14A




FIG. 14B




FIG. 14C

7/25




FIG. 15B




FIG. 16B




FIG. 15A




FIG. 16A






FIG. 16C

8/25



9/25




FIG. 18A




FIG. 18B




FIG. 18C

10/25




FIG. 19A






FIG. 19B

11/25



12/25

FIG. 21A





FIG. 21B











FIG. 22

13/25





15/25





FIG. 28B






FIG. 28C



17/25

FIG. 30A




FIG. 30B




FIG. 31A







FIG. 31B



18/25



19/25

FIG. 34A




FIG. 34B



FIG. 35A




FIG. 35B



20/25






FIG. 38



22/25

FIG. 39





FIG. 40

23/25

FIG. 41




FIG. 42





FIG. 43

25/25

Conventional Overlapping Drug Eluting Stents
Predicted Doubling of Drug Elution at Overlap Zone
(All values/numbers are arbitrary for illustration only)





FIG. 44

FIG. 45

Illustrative Specialized Overlapping Stent Embodiments
Predicted Uniform Drug Elution
(All values/numbers are arbitrary and for illustration only)



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.